REHAB

product catalog

Sample

Your Logo Here

Sample

The MED Group Gold Seal of Approval

This catalog is filled with MED Preferred products identified by The MED Group Gold Seal of Approval. Made by leading healthcare manufacturers, these products are fully backed by the manufacturer's warranty.

MED Preferred products are chosen based on quality and value, do not settle for anything less. MED Group Members provide professional service before and after the sale to insure the products purchased meet your needs today as well as in the future. Please call your local MED Group Member and experience a higher level of service and professionalism.

Please utilize this catalog and ask your MED Group Member for assistance in helping you locate the products right for your application.

created by:

THE MED GROUP®

Connecting Partners, *Delivering Results*™

www.medgroup.com
800.825.5633

All products in this book may not be available from all providers.

© Copyright 2009 The MED Group. All rights reserved.

Table of Contents

4 - 5
POWER WHEELCHAIRS

6 - 11
MANUAL WHEELCHAIR

12 - 21
SEATING & POSITIONING

Sample

© Copyright 2009 The MED Group. All rights reserved.

Power Wheelchairs

Pride Jazzy® 600

The Jazzy 600 series models include:

Jazzy 600	*3S-SS*	*K0848*	*Group 3 Standard*
Jazzy 600	*3S-C*	*K0849*	*Group 3 Standard*
Jazzy 600	*3SP-SS*	*K0856*	*Group 3 Standard Single Power*
Jazzy 600	*3SP-C*	*K0857*	*Group 3 Standard Single Power*

- OMNI-Casters (nylon, spherical-shaped casters) on front and rear to prevent wheel hang-ups.
- Side-mounted, easily accessible freewheel levers.
- Active-Trac ATX Suspension incorporates front OMNI-Casters for enhanced performance over more varied terrain.
- Easy front access to batteries.
- Easily accessible side charger port.

Quantum Rehab 600®

The Quantum 600 series models include:

Q600 3S-SS	*K0848*	*Group 3 Standard*
Q600 3SP-SS	*K0856*	*Group 3 Standard Single Power*
Q600 3MP-SS	*K0861*	*Group 3 Standard Multiple Power*
Q600 4S-SS	*K0868*	*Group 4 Standard*
Q600 4SP-SS	*K0877*	*Group 4 Standard Single Power*

- Compatible with TRU-Balance 2 Power Positioning.
- Patent pending OMNI-Casters (nylon, spherical-shaped casters) on front and rear prevent wheel hang-ups.
- ATX Suspension (Active-Trac with extra stability) incorporates front OMNI-Casters for enhanced performance over more varied terrain.
- Powerful GLIDE motors for added power and torque.

Quantum Rehab 6000Z®

The Quantum 6000Z models include:

Q6000Z	*3SP-SS*	*K0856*	*Group 3 Standard Single Power*
Q6000Z	*3MP-SS*	*K0861*	*Group 3 Standard Multi Power*
Q6000Z	*4S-SS*	*K0868*	*Group 4 Standard*
Q6000Z	*4SP-SS*	*K0877*	*Group 4 Standard Single Power*
Q6000Z	*4MP-SS*	*K0884*	*Group 4 Standard Multi Power*

- Powerful performance with enhanced torque and speed.
- Superb climbing and transitioning capability.
- Solid track record of durability and customer satisfaction.
- Compatible with an impressive array of electronics and seating and positioning systems.
- Available high speed motor package.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Power Wheelchairs

Quantum Rehab 614®

- Powerful dual in-line motors
- Sleek design provides excellent maneuverability
- Powerful electronics for exceptional handling
- Superb performance indoors and out
- Compatible with an impressive array of electronics and seating and positioning systems

Quantum R-4000®

- Rear-wheel drive performance
- Compact design for enhanced maneuverability
- Powerful motors
- Excellent value
- Stylish, bold design
- Superb climbing and transitioning capability
- Compatible with an impressive array of electronics and seating and positioning systems

Sunrise Quickie® Rhythm™

- 6-Form™ independent suspension keeps each wheel in constant contact with the ground.
- Leveler™ technology helps prevent forward pitching when traveling downhill.
- R-net Expandable Controls with full specialty control options.
- R-net provides up to 8 different profiles for various environments.
- R-net features color screens on select joysticks and an OMNI display with a real-time consumer clock (clock display on screen).

Sunrise Quickie® Pulse 6

- Armed with flexible suspension and a 6 MPH top speed, group 3 users are able to balance between indoor accessibility and outdoor performance.
- SPOT Tilt on ASAP seat frame provides up to 50° of tilt (available on Pulse SC).
- VR-2 PG Drive Joystick.
- R-net Expandable Controls and full specialty options.
- Electrocraft motor has been used on the Quickie product line for 6 years.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Manual Wheelchairs

Sunrise Breezy® Ultra 4

- Newly upgraded standard chair package and added options.
- Angle-adjustable backrest option.
- Standard quick-release axles.
- Multiple seat-heights.
- Standard aluminum frame.
- No-tools footrest adjustment.
- Power functions may include: tilt, recline, seat elevator, legrest elevation and many custom powered accessories.

Sunrise Quickie® IRIS

- Quickie invented intelligent rotation-in-space = true alignment of C.G. (center of gravity) and C.R. (center of rotation).
- The 60 degree tilt advantage and three tilt ranges.
- Low seat-to-floor height – 14” front seat-to-floor height (using a drop seat can be lowered to a 12 ½”).
- Built-in adjustability – expand from 14” – 22” in width and 15” - 22” in depth.

Sunrise Quickie® LX/LXI™

- Flip back armrests allow armrest to be easily removed out of the way to make for easy and convenient transfers.
- Adjustable backrest height allows user to customize chair to a variety of heights to meet their needs.
- The Quickie LX design allows chair to meet high strength lightweight classifications at an affordable price.
- Multiple features and multiple wheel combinations allow user to have an affordable priced chair that they can customize to their needs.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Sunrise Quickie® GTX™

- Innovative “cross-brace inside” allows this folder to ride like a rigid.
- Stylish open frame design based on Quickie GT.
- Ultra small folded package with the unique fold-down back.
- Standard configuration weight rivals that of titanium chairs.
- Superior adjustability and customization options.
- Patented Front Caster Adjustability.
- Fixed front and Swing Away models.
- NEW Hemi-height available.
- NEW Compact Wheel Lock.
- NEW Angle Adjustable Back.
- NEW Lifestyle Options.

  Schwable Marathon Plus Tire – puncture protection
  KIK Mako Tire – responsive performance
  Spinergy LX 12-Spoke Wheel – light weight
  Ultra Lightweight Wheel – Incredibly light – 3.1 lbs
  Natural Fit Handrim – better propulsion and comfort

Sunrise Quickie® GTi

- Titanium Plus – 1 1/8” inch tubing.
- AWESOME Style – same open frame as GT.
- More rigid ride = more efficient propelling.
- Highly transportable – open design and fold down back.
- Light weight standard configuration.
- Suspension (optional).

  Front with the addition of Frog Legs
  Rear utilizing the same mechanism from the GT

- Patented Front Caster Adjustability.
- Customization Options Galore:

  Painted Frame Option
  Compact Lock
  Schwable Marathon Plus Tire – puncture protection
  KIK Mako Tire – responsive performance
  Spinergy LX 12-Spoke Wheel – light weight
  Ultra Lightweight Wheel – Incredibly light – 3.1 lbs
  Natural Fit Handrim – better propulsion and comfort

Sample

© Copyright 2009 The MED Group. All rights reserved.

Manual Wheelchairs

Sunrise Quickie® GP/GPV

- Standard with a 70 degree front frame angle; the GPV front end option tapers inward in a V-like fashion. Both of these features are designed to hold the legs in a tighter position to provide exceptional maneuverability.
- Adjustable axle positions are available for center of gravity adjustment.
- Sports oriented Quickie performance wheels are an available option (basketball and tennis).
- Multiple axle plate options such as double slot and amputee are available to meet individual needs.
- The GPV comes standard with seven degrees of camber for easier propulsion but the camber can be adjusted from 0-12 degrees.

Sunrise Quickie® 2 Lite

- Ultra lightweight: Overall weight is 27 lbs fully loaded.
- Noise reduction via Q-Fit™ Technology.
- The footrest extension features anti-rotation receivers and a pressure-lock clamp that can withstand up to 1000 pounds of force.
- The Quickie 2 Lite offers a highly adjustable modular frame.
- Quickie's True Fit Program.

Sunrise Quickie® GT

- Lightest weight aluminum rigid in the market.
- Open-frame design (stylish + easy to transport).
- Front and rear suspension (optional).
- Patented Front Caster Adjustability.
- NEW Angle Adjustable Back.
- NEW Angle Adjustable Armrest Hardward.
- NEW Lifestyle Options:

  Schwable Marathon Plus Tire – puncture protection
  Spinergy LX 12-Spoke Wheel – light weight
  Ultra Lightweight Wheel – Incredibly light – 3.1 lbs
  Natural Fit Handrim – better propulsion and comfort

Sample

© Copyright 2009 The MED Group. All rights reserved.

Manual Wheelchairs

Pride Litestream 500

- Ultra-lightweight folding X-frame design.
- Highly adjustable.
- Rear seat-to-floor height as low as 14.5”.
- Bi-directional legrests for maximum comfort.
- An exceptional overall value.
- Multiple color options.

Pride Stylus

- Adjustable tension seat upholstery increases comfort and positioning.
- Flip-up, desk-length armrests improve accessibility.
- Multiple-position rear wheel and caster mounts optimize center-of-gravity and seat-to-floor height adjustments.
- Quick-release, removable rear wheels (Bolt-on with standard stock package).
- Full-profile 24" x 1 3/8".
- Long-handle wheel locks ensure comfort and security.
- Through-bolted, industry-compatible leg rests with aluminum footplates for durability.

Next Mobility RTm

- Lightweight Monotube Design.
- Post Weld Solution Heat Treated.
- Adjustable Center of Gravity.
- Single Sided Fork.
- Frog Legs™ - Optional.
- Carbon Fiber Seat Back, Side Guards, Seat Pan - Optional.
- 1.25” Round Aluminum Tubing.
- 11 Paint Colors with Custom Schemes.
- Spinergy Wheels - Optional.

ample

© Copyright 2009 The MED Group. All rights reserved.

Manual Wheelchairs

Ki Mobility Catalyst 4 and 4c

- The Catalyst 4 and 4C are the unquestioned performance leaders in the K4 class. Both chairs utilize an offset axle plate that offers rear seat height adjustability. Even though this is a K0004, it uses the same frame construction as the Catalyst 5 to provide superior performance and with spoke wheels the chair weighs only 24 lbs.*!

The Catalyst 4 is a packaged product offering with limited sizes and options. The Catalyst 4C is available with virtually all of the sizes and options offered on our Catalyst 5.

*With spoke wheels and arms; without footrests

Ki Mobility Catalyst 5

- Ki Mobility's flagship product, the Catalyst 5, is your best choice in ultra-lightweight mobility. The Catalyst 5 is a high-performance folding wheelchair. Constructed from 6061- T6 aircraft aluminum and weighing only 23 lbs.*, it offers fine adjustments of the rear axle for seat height, center of gravity, width and camber, allowing you to achieve optimum wheel positioning. You also have our largest selection of options to help configure a chair to meet your special requirements.

*With spoke wheels and arms; without footrests

Ki Mobility Catalyst 5Ti

- Try the Catalyst 5 in titanium. All of the options of the Catalyst 5 are available with the Catalyst 5Ti – including swing away footrests. Titanium is a fantastic metal for wheelchairs.

It's very light, very stiff and resists scratching and corrosion. The Catalyst 5Ti uses the alloy Ti3AL/2.5V, which is twice as strong as aluminum at the same weight.

Ki Mobility also offers titanium cross braces. One of the benefits of titanium is its stiffness; using it in your cross braces improves rigidity while making the chair lighter. The Catalyst 5Ti with titanium cross braces weighs only 21.5 lbs.* and just 22 lbs.* with aluminum!

*With spoke wheels and arms; without footrests

Sample

© Copyright 2009 The MED Group. All rights reserved.

Manual Wheelchairs

Ki Mobility Catalyst 5Vx

- Reimbursement for center of gravity (CG) adjustments can get complicated. The Catalyst 5Vx makes it a little easier. The performance you have come to expect from a Catalyst!

Center of gravity adjustment is important for optimizing wheelchair performance. The Catalyst 5Vx, with all the performance you have come to expect from a Catalyst, offers a three position CG adjustment and affordability in an extremely light (24 lbs.*), portable and high performance chair. The Catalyst 5Vx is coded K0005.with aluminum!

*With spoke wheels and arms; without footrests

Ki Mobility Tsunami AL (Aerospace Aluminum)

- Tubular Component System (TCS).
- Better Handling and More Responsive Ride.
- Crescent CG System.
- Easy Adjust Caster Housing.
- Locking Fold Down Back.
- Adjustable Seat Depth.
- Depth Adjustable Frame.
- Custom Front Bends.
- Adjustable Rigidizer Bar.

Ki Mobility Tsunami Ti (Titanium)

- Tubular Component System (TCS).
- Better Handling and More Responsive Ride.
- Crescent CG System.
- Easy Adjust Caster Housing.
- Locking Fold Down Back.
- Adjustable Seat Depth.
- Depth Adjustable Frame.
- Custom Front Bends.
- Adjustable Rigidizer Bar.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Seating & Positioning

Quantum Rehab TRU-Balance® 2 Power Positioning System

The new TRU-Balance 2 Power Positioning System brings the next generation of power positioning innovation from Quantum Rehab together in one very adaptable, highly attractive package. TRU-Balance 2 delivers lower seat-to-floor heights, increased and simplified means of adjustment and easy service access to electronics.

TRU-Balance 2 Tilt Features

- 55 degrees of tilt.
- Lower standard seat-to-floor height.
- Simplified width and depth adjustments.
- Maintains center of gravity shift.
- New safety switches.

TRU-Balance 2 Recline Features

- 95 degrees to 168 degrees of recline.
- 300 lbs weight capacity.
- Does not increase seat-to-floor height.
- Standard shear reduction and reclining armrests.

Quantum Rehab TRU-Comfort™ Seating System

- Ultrasoft, leather-like cover.
- High density HR polyurethane base for long lasting comfort.
- Viscoelastic foam top layer to manage pressure, promote proper circulation and provide comfort.
- Easily added to TRU-Balance and other Synergy seats.
- Adjustable lumbar support and lateral bolsters to dial in positioning comfort.
- Modular seating components allow use of alternate seating cushions.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Sunrise Jay® Lite

- ProductWeight:1.71lbs(16x18SkinProtectioncushion) 1.74lbs(16x18SkinProtectionandPositioningcushion)
- Perfect complement to ultralight weight aluminum and titanium wheelchairs.
- Based on anthropometric data, the OptiWell™ pelvic loading area is optimally shaped and sized to evenly distribute pressure under the pelvis.
- Ischial cutouts and scooped reticulated foam insert minimize compression and reaction forces when the cushion is loaded.
- Protects the skin against heat and moisture build-up.
- The JAY Lite can be ordered and shipped complete with a variety of Quickie manual and power chairs.



Sunrise Jay® Triad Cushion

- Made of three layers of foam.
- First layer is a pre-contoured foam base which creates and provides a solid foundation for postural stability.
- Middle/supportive layer is made up of foam that enhances posture and sitting tolerance.
- The top layer is visco-elastic foam that increases comfort and minimizes the elastic response of the supporting foam layers.

Sunrise Jay® Easy Cushion

- Lightweight pre-contoured foam provides a stable base of support.
- Design ensures the cushion conforms to the bony prominences, distributes pressure more evenly and reduces peak pressures.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Seating & Positioning

Sunrise Jay® J2 Cushion

- Lightweight and low maintenance.
- Designed for the client at high risk of skin breakdown.
- Easily customized to accommodate specific client needs.
- Firm foam base is contoured to provide optimal pelvic positioning.
- Variety of secondary supports, plus easy customization address both fixed and reducible orthopedic deformities.
- More than 2 inches of Jay Flow fluid contained in the seat well conforms to bony prominences, providing maximum pressure distribution and reduction.

Sunrise Jay® J2 Deep Contour Cushion

- Seat well of 3” provides superior pressure and shear reduction for extremely high-risk patients.
- Enhanced contours are designed to meet moderate positioning needs.
- Promotes pelvic stability and lower extremity positioning.
- Accommodated various pelvic positions while providing stability.
- Tripad design incorporates a left and right side fluid section for lateral stability, plus a section specifically designed to protect the coccyx.
- Three inches of Jay Flow fluid promotes immersion without resistance, providing maximum pressure and shear reduction for the user at high risk.

Sunrise Jay® J3 Cushion

- Optimized Pelvic Loading Area (PLA) design allows the clinician to customize for the client's unique needs to either load the trochanters or float the pelvis.
- Factory Filled for symmetrical postures and stable conditions where fluid volume is pre-established and standard.
- Better pressure reduction with increased segmentation and optimal load redistribution.
- Patent Pending technique reduces surface tension in the cover.
- Microclimatic cover option reduces heat and moisture build-up for healthier skin.
- The J3 can be ordered and shipped complete with a variety of Quickie manual and power chairs.

Sample

© Copyright 2009 The MED Group. All rights reserved.



Quantum Rehab Synergy Solution® 1 Cushion

Innovative, two layered design for exceptional pressure management and positioning.

- High density polyurethane foam construction.
- Coccyx and sacral relief.
- Soft gel top layer for skin protection.
- Four-way stretch, fluid resistant upper cover.



Quantum Rehab Synergy Solution® Cushion

Three component design for pressure management, positioning and long-lasting comfort.

- Exclusive wrap-and-lift design or pressure management.
- Twin-cell gel insert.
- Viscoelastic top layer.
- 2 cover system to prevent shearing with interior liner.



Quantum Rehab Synergy Spectrum® Cushion

Customized comfort and superb positioning and pressure management.

- Extra deep well.
- Choice of twin-cell lightweight fluid or viscoelastic foam insert.
- Viscoelastic top layer.
- 2 cover system to prevent shearing with interior liner.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Seating & Positioning



Quantum Rehab Synergy® Structure Cushion

Unique modular design for advance pressure management and maximum comfort.

- Viscoelastic top layer.
- Choice of twin-cell lightweight fluid or viscoelastic foam insert.
- Modular positioning components for client specific customization.
- Exclusive wrap-and-lift design for pressure management.

The ROHO Group Contour Select Cushion

The CONTOUR SELECT Cushion is most effective for users:

Who are at moderate to high risk for skin breakdown
With symmetrical postures, or minimally asymmetrical postures
Who require a significant amount of postural support
With fair to poor seated balance
Who have conditions that will change over time

- INCLUDES: CONTOUR SELECT Cushion, two-way stretch cover, hand inflation plump, repair kit and operating instructions.
- CONSTRUCTIONS: Flame resistant, Neoprene Rubber.
- SIZES: Wide range to fit chair widths 15” to 20”/38 cm to 51 cm.
- WEIGHT: Varies by size, approximately 3.6 lbs/1.6 kg (based on size CS99C).
- WARRANTY: 36-Month Limited Warranty.
- MEDICARE HCPCS BILLING CODE: K0736 Adjustable skin protection and positioning wheelchair cushion.

Sample

© Copyright 2009 The MED Group. All rights reserved.

The ROHO Group High Profile / Low Profile Quadtro Select Cushion

The HIGH PROFILE QUADTRO SELECT Cushion is most effective for users:

Who demand a high level of skin protection
With asymmetrical postures
Who require progressive positioning
Who require a significant amount of postural support
With fair to poor balance
In tilt or recline systems
Who have a diagnosis that will change over time

The LOW PROFILE QUADTRO SELECT Cushion is most effective for users:

Who require a moderate amount of postural support
With symmetrical postures, or minimally asymmetrical postures
Who are at risk of skin breakdown
Who require lower seat-to-floor height

- INCLUDES: QUADTRO SELECT HIGH PROFILE or LOW PROFILE Cushion, two-way stretch cover, hand inflation pump, repair kit and operating instructions.
- CONSTRUCTIONS: Flame resistant, Neoprene Rubber.
- SIZES: Wide range to fit chair widths 12” to 24”/30 cm to 61 cm on the HIGH PROFILE, 12” to 20”/30 cm to 51 cm on the LOW PROFILE.
- Cell height is 4” on the HIGH PROFILE, 2.5” on the LOW PROFILE.
- WEIGHT: Varies by size, approximately 3.78 lbs./1.71 kg (based on size QS99C).
- WARRANTY: 36-Month Limited Warranty.
- MEDICARE HCPCS BILLING CODE: K0736/K0737 Adjustable skin protection and positioning wheelchair cushion.

Otto Bock OBSS®

- Quickly digitize the client’s shape using CAD/CAM technology.
- Capture a 3D electronic image that can be modified to fit what you want.
- No mess – quickly email your electronic client file orders instead of plaster casts.
- Backed by an unparalleled support network including:
  - Comprehensive product training.
  - Clinical seating education.
  - Personalized service support.
  - Fabrication accuracy and speed that is customized to your preferences.
  - Focus your attention on getting the proper client fit, instead of mixing chemicals or recapturing forms in plaster.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Seating & Positioning

Sunrise Jay® Basic Back

- Lightweight contoured aluminum shell replaces existing sling upholstery on a wheelchair.
- Gentle contour promotes posture while increasing the consumers sitting tolerance.

Sunrise Jay® J2 Back

- Angle adjustable up to 15 degrees.
- Design creates minimal loss of seat depth.
- Available in standard height and tall.

Sunrise Jay® J2 Deep Contour Back

- Deep lateral walls provide excellent lateral trunk stability.
- Foam wedges provide opportunity for a more customized fit.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Sunrise Jay® J3 Back

- Simply Effective Seating!
- A single back that can fit the majority of your customers through a multitude of:

  Contours: Mild to Deep
  Thoracic Support: Lower, Mid and Upper
  Sizes: 14” – 18” wide

- Highly versatile hardware:

  2 points of attachment that can go anywhere on the back canes
  Height, depth and angle adjustable
  Transit Tested

- Spine Align Kit:

  Easy to customize fit and maximize comfort

- Cool! The silhouette design will be one many consumers will request.

Sunrise Jay® Focus Point Back

- This new back allows the back to fit the user.
- Laterals that are fully adjustable in height, width and horizontal angle.
- The clamp style hardware hinge points emulate the lateral stabilization provided by these caring hands.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Seating & Positioning

Quantum Rehab Synergy Shape Back

Contoured comfort and superb pressure management:

- Dual layer foam construction with viscoelastic surface layer.
- Unique one-hand, one motion quick release.
- Contoured design for proper positioning.
- Easy depth and angle adjustment.

The ROHO Group JetStream PRO BACK SYSTEM

The JetStream PRO Back Support System is most effective for users who:

Want to maximize the performance of their wheelchair
Want to minimize the weight of their mobility system
use high performance wheelchair
Have, or have potential for, shoulder or back pain
Want a back support that is sleek and attractive
Require postural support

- INCLUDES: Back Support, mounting hardware*, cushion, cover, installation allen wrench, privacy flap and instruction manual.
- CONSTRUCTION: Carbon fiber shell; machined aluminum mounting hardware; polyurethane foam shell insert; ballistic nylon cover.
- SIZES: Standard Height (16.5”), Low Height (10”) backs: 14” through 18” wide in 1” increments.
- WEIGHT: 1 lb 13.9 oz based on 16” wide standard height back.
- WEIGHT LIMIT: 250 lbs.
- WARRANTY: 24-Month Limited Warranty.
*available with fixed or adjustable hardware.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Stealth Powered Quickie IRIS Tilt

- When visual impairment precludes driving.
- Cognitive impairments cover a wide spectrum and include individuals who are too cognitively impaired for driving.
- Post Stroke where left or right side neglect preclude driving. Where low motivation or behavioral issues preclude driving.
- In facilities where power chair use is not permitted.
- When living circumstances do not provide for a caregiver on call as needed.

Stealth Products Comfort Plus Series

Whether used as a stand alone head support or as a part of a larger system, the Comfort Plus provides multiple options for switch sites, lateral facial devices, attachment hardware and more.

- Cover is removable and washable.
- Durable pad constructed of layered foam on a coated metal shell and covered with a soft, durable stretch material.
- All materials meet Cal. 117 flammability standards.

Stealth Products Ultra QCR Series

The Ultra QCR is an all encompassing head positioning system with adjustment capabilities and a portfolio of options and accessories to meet virtually any client's needs.

Q=Quick set up. Simple and intuitive!

C=Clean design. You see the person not the hardware!

R=Reliable. Holds you settings, no excuses!

- Vertical distance between Occipital and Sub-Occipital is easily set over a 2 ¾" range.
- Sub-Occipital & Occipital incorporates independent before and after adjustments. Simple, obvious and reliable. Adjustment range is 5" with the Multi-Axis Mount and 7" plus with the LINK Mount.

Sample

© Copyright 2009 The MED Group. All rights reserved.

Your Company Ad Here

Sample